

### Paraxylene Spesification

NO	Properties	Limit	Test Method
1	Purity wt-%	99.7 minimum	ASTM D-3798
2	Meta-xylene wt-%	0.25 maximum	ASTM D-3798
3	Ortho-xylene wt-%	0.10 maximum	ASTM D-3798
4	Non Aromatics wt-%	0.20 maximum	ASTM D-3798
5	Bromine index	200 maximum	ASTM D-5776
6	Apperance at 30 °C	C&B without Sediment	Visual
7	Color Saybolt	+25 minimum	ASTM 1 D-156
8	Sulfur Total wt-ppm	1.00 maximum	ASTM D-4045
9	Distillation Range (ind.148.4) °C	2 maximum	ASTM D-850